


| TYPE | Dimensions(mm) | | | | | |
|------|---|-------------|---|---|---|--|
| | A | B | C | D | E | F |
| RM4 | 9.8 $\begin{smallmatrix} +0 \\ -0.4 \end{smallmatrix}$ | 5.2 ± 0.1 | 11.6 ± 0.2 | 8.15 ± 0.2 | 3.9 $\begin{smallmatrix} +0 \\ -0.2 \end{smallmatrix}$ | 3.5 $\begin{smallmatrix} +0.2 \\ -0 \end{smallmatrix}$ |
| RM5 | 12.3 $\begin{smallmatrix} +0 \\ -0.5 \end{smallmatrix}$ | 5.2 ± 0.1 | 14.65 ± 0.25 | 10.4 ± 0.2 | 4.8 ± 0.1 | 3.25 ± 0.1 |
| RM6 | 14.4 ± 0.3 | 6.2 ± 0.1 | 17.6 ± 0.3 | 12.65 ± 0.25 | 6.3 ± 0.1 | 4.1 ± 0.1 |
| RM8 | 19.7 $\begin{smallmatrix} +0 \\ -0.7 \end{smallmatrix}$ | 8.2 ± 0.1 | 23.2 $\begin{smallmatrix} +0 \\ -0.9 \end{smallmatrix}$ | 17.0 $\begin{smallmatrix} +0.6 \\ -0 \end{smallmatrix}$ | 8.55 $\begin{smallmatrix} +0 \\ -0.3 \end{smallmatrix}$ | 5.5 ± 0.1 |
| RM10 | 24.5 ± 0.55 | 9.3 ± 0.1 | 27.85 ± 0.65 | 21.65 ± 0.45 | 10.7 ± 0.2 | 6.35 ± 0.15 |
| RM12 | 29.2 ± 0.6 | 11.75 ± 0.1 | 36.75 ± 0.65 | 25.5 ± 0.5 | 12.8 $\begin{smallmatrix} +0 \\ -0.4 \end{smallmatrix}$ | 8.55 ± 0.15 |
| RM14 | 34.2 ± 0.5 | 14.4 ± 0.1 | 41.6 ± 0.6 | 29.5 ± 0.5 | 14.75 ± 0.25 | 10.55 ± 0.15 |

| TYPE | C ₁ (mm ⁻¹) | A _e (mm ²) | L _e (mm) | V _e (mm ²) | AL(nH/N ²) ± 25% | | Weight (g) |
|------|---------------------------------------|--------------------------------------|------------------------|--------------------------------------|------------------------------|---------|---------------|
| | | | | | TP3 | TP4 | |
| RM4 | 1.62 | 13.9 | 22.5 | 313 | 720min | 680min | 1.7 |
| RM5 | 0.938 | 23.8 | 22.3 | 530 | 1350min | 1250min | 3.2 |
| RM6 | 0.78 | 37 | 29.0 | 1050 | 1720min | 1600min | 5.5 |
| RM8 | 0.59 | 64.0 | 38.0 | 2400 | 2200min | 1950min | 12.5 |
| RM10 | 0.453 | 98 | 44.0 | 4310 | 3900min | 3630min | 23 |
| RM12 | 0.40 | 140 | 56.9 | 7960 | 4500min | 4150min | 42 |
| RM14 | 0.40 | 178 | 71.0 | 12600 | 5000min | 4600min | 70 |



| TYPE | Dimensions(mm) | | | | | | |
|---------|----------------|-------------|------------------------------------|-------------|------------------------------------|-------------------------------------|------|
| | A | B | C | D | E | F | Gmin |
| PQ20/16 | 20.5 ± 0.4 | 18.0 ± 0.4 | 8.8 ± 0.2 | 14.0 ± 0.4 | 5.0 ^{+0.3} ₋₀ | 8.0 ^{+0.2} ₋₀ | 12.0 |
| PQ20/20 | 20.5 ± 0.4 | 18.0 ± 0.4 | 8.8 ± 0.2 | 14.0 ± 0.4 | 7.0 ^{+0.3} ₋₀ | 10.2 ⁺⁰ _{-0.2} | 12.0 |
| PQ26/20 | 26.5 ± 0.45 | 22.5 ± 0.45 | 12.0 ± 0.2 | 19.0 ± 0.45 | 5.75 ± 0.15 | 9.95 ^{+0.25} ₋₀ | 15.5 |
| PQ26/25 | 26.5 ± 0.45 | 22.5 ± 0.45 | 12.0 ± 0.2 | 19.0 ± 0.45 | 8.05 ± 0.2 | 12.5 ⁺⁰ _{-0.25} | 15.5 |
| PQ32/30 | 32.5 ± 0.5 | 27.5 ± 0.5 | 13.2 ± 0.35 | 22.0 ± 0.5 | 5.75 ± 0.2 | 10.4 ⁺⁰ _{-0.25} | 19.0 |
| PQ35/30 | 32.0 ± 0.5 | 27.5 ± 0.5 | 13.7 ⁺⁰ _{-0.5} | 22.0 ± 0.5 | 10.5 ^{+0.3} ₋₀ | 15.3 ⁺⁰ _{-0.3} | 19.0 |
| PQ35/35 | 35.1 ± 0.6 | 32.0 ± 0.5 | 14.35 ± 0.25 | 26.0 ± 0.5 | 12.5 ± 0.15 | 17.5 ⁺⁰ _{-0.25} | 23.5 |
| PQ40/40 | 40.5 ± 0.9 | 37.0 ± 0.6 | 14.9 ± 0.3 | 28.0 ± 0.6 | 14.75 ± 0.15 | 20.0 ⁺⁰ _{-0.25} | 28.0 |

| TYPE | C ₁ (mm ⁻¹) | A _e (mm ²) | L _e (mm) | V _e (mm ²) | AL(nH/N ²) ± 25% | | Weight (g) |
|---------|---------------------------------------|--------------------------------------|------------------------|--------------------------------------|------------------------------|------|---------------|
| | | | | | TP3 | TP4 | |
| PQ20/16 | 0.605 | 62.0 | 37.4 | 2310 | 3880 | 3430 | 13 |
| PQ20/20 | 0.738 | 62.0 | 45.4 | 2790 | 3310 | 2920 | 15 |
| PQ26/20 | 0.391 | 119 | 46.3 | 5490 | 6170 | 5510 | 31 |
| PQ26/25 | 0.472 | 118 | 55.5 | 6530 | 5250 | 4670 | 36 |
| PQ32/20 | 0.326 | 170 | 55.5 | 9420 | 7310 | 6730 | 42 |
| PQ32/30 | 0.464 | 161.0 | 74.6 | 12000 | 5140 | 4900 | 55 |
| PQ35/35 | 0.448 | 196 | 87.9 | 17300 | 4860 | 4860 | 73 |
| PQ40/40 | 0.508 | 201 | 102 | 20500 | 4300 | 4300 | 95 |